

台中市主要死亡原因

單位：人
(每十萬人口)

民國 96 年

台中市 Taichung City

順位 Rank	台中市 Taichung City					
	1975 年 國際簡略死因 分類號碼 Mortality NO.	死亡原因 Cause of Death	死亡數 Number of Deaths	死亡率 Crude Death Rate	標準化 死亡率 Standardized Death Rate	
		合計(total)				
		所有死亡原因	All causes of death	4,917	468.2	461.3
1	08-14	惡性腫瘤	Malignant neoplasms	1,498	142.6	139.2
2	250,251,27,28*	心臟性疾病	Heart disease	447	42.6	42.2
3	29	腦血管疾病	Cerebrovascular disease	403	38.4	37.9
4	181	糖尿病	Diabetes mellitus	321	30.6	31.0
5	E47-E53	事故傷害	Accidents and adverse effects	222	21.1	20.3
6	350	腎炎腎徵候群 及腎性病變	Nephritis, nephrotic syndrome and nephrosis	209	19.9	19.8
7	321	肺炎	Pneumonia	175	16.7	16.1
8	347	慢性肝病及肝 硬化	Chronic liver disease and cirrhosis	161	15.3	14.4
9	E54	自殺	Suicide	130	12.4	11.1
10	26	高血壓性疾病	Hypertensive disease	96	9.1	8.9
		男性(male)				
		所有死亡原因	All causes of death	2,950	574.1	560.7
1	08-14	惡性腫瘤	Malignant neoplasms	907	176.5	172.3
2	250,251,27,28*	心臟性疾病	Heart disease	241	46.9	46.2
3	29	腦血管疾病	Cerebrovascular disease	236	45.9	44.6
4	E47-E53	事故傷害	Accidents and adverse effects	163	31.7	30.5
5	181	糖尿病	Diabetes mellitus	152	29.6	29.7
6	321	肺炎	Pneumonia	123	23.9	22.7
7	350	腎炎腎徵候群 及腎性病變	Nephritis, nephrotic syndrome and nephrosis	109	21.2	20.6
8	347	慢性肝病及肝 硬化	Chronic liver disease and cirrhosis	107	20.8	19.2
9	E54	自殺	Suicide	98	19.1	17.5
10	26	高血壓性疾病	Hypertensive disease	43	8.4	7.9
		女性(female)				
		所有死亡原因	All causes of death	1,967	366.8	368.1
1	08-14	惡性腫瘤	Malignant neoplasms	591	110.2	107.6
2	250,251,27,28*	心臟性疾病	Heart disease	206	38.4	39.1
3	181	糖尿病	Diabetes mellitus	169	31.5	32.7

4	29	腦血管疾病	Cerebrovascular disease	167	31.1	31.6
5	350	腎炎腎徵候群及腎性病變	Nephritis, nephrotic syndrome and nephrosis	100	18.6	19.0
6	E47-E53	事故傷害	Accidents and adverse effects	59	11.0	10.4
7	347	慢性肝病及肝硬化	Chronic liver disease and cirrhosis	54	10.1	10.2
8	26	高血壓性疾病	Hypertensive disease	53	9.9	10.0
9	321	肺炎	Pneumonia	52	9.7	9.7
10	E54	自殺	Suicide	32	6.0	5.1

附註: 1. 臺中市年中人口數計 1,050,145 人，男性 513,848，女性 536,297。

2. (1) 每十萬女性人口死亡率。

(2) 每十萬男性人口死亡率。

3. 標準化死亡率係以 2000 年 W.H.O. 世界人口年齡結構為基準。

台中市主要癌症死亡原因

單位：人

(每十萬人口)

民國 96 年

台中市 Taichung City

順位 Rank	1975 年 國際簡略死因 分類號碼 Mortality NO.	癌症死亡原因 Cancer cause of Death	死亡數 Number of Deaths	死亡率 Crude Death Rate	標準化 死亡率 Standardized Death Rate
		合計(total)			
		所有癌症死亡原因 Malignant neoplasms	1,498	142.6	139.2
1	162	肺癌 Trachea, bronchus, and lung cancer	276	26.3	25.9
2	155	肝癌 Liver and intrahepatic bile ducts cancer	259	24.7	24.7
3	153,154	結腸直腸癌 Colon and rectum cancer	194	18.5	18.4
4	174	女性乳癌 Female breast cancer	73	13.6 (1)	12.0
5	151	胃癌 Stomach cancer	82	7.8	7.5
6	185	攝護腺癌 Prostate cancer	38	7.4 (2)	6.9
7	140,141,143-146,148,149	口腔癌(含口咽及下咽) Oral cavity cancer	67	6.4	6.0
8	179,180	子宮頸癌 Cervix uteri cancer	31	5.8 (1)	5.5
9	157	胰臟癌 Pancreas cancer	59	5.6	5.3
10	150	食道癌 Oesophagus cancer	47	4.5	4.2

		男性(male)				
		所有癌症死亡原因	Malignant neoplasms	907	176.5	172.3
1	162	肺癌	Trachea, bronchus, and lung cancer	188	36.6	35.5
2	155	肝癌	Liver and intrahepatic bile ducts cancer	179	34.8	35.1
3	153,154	結腸直腸癌	Colon and rectum cancer	100	19.5	19.9
4	140,141,143-146,148,149	口腔癌(含口咽及下咽)	Oral cavity cancer	64	12.5	12.1
5	151	胃癌	Stomach cancer	51	9.9	9.6
6	150	食道癌	Oesophagus cancer	45	8.8	8.4
7	185	攝護腺癌	Prostate cancer	38	7.4	6.9
8	157	胰臟癌	Pancreas cancer	37	7.2	6.7
9	200,202,203	非何杰金淋巴瘤	Non-Hodgkin's lymphoma	27	5.3	5.3
10	189.0	腎臟癌	Kidney and other urinary organs cancer	23	4.5	4.1
		女性(female)				
		所有癌症死亡原因	Malignant neoplasms	591	110.2	107.6
1	153,154	結腸直腸癌	Colon and rectum cancer	94	17.5	17.3
2	162	肺癌	Trachea, bronchus, and lung cancer	88	16.4	16.3
3	155	肝癌	Liver and intrahepatic bile ducts cancer	80	14.9	15.5
4	174	女性乳癌	Female breast cancer	73	13.6	12.0
5	179,180	子宮頸癌	Cervix uteri cancer	31	5.8	5.5
6	151	胃癌	Stomach cancer	31	5.8	5.6
7	156	膽囊癌	Gallbladder and extrahepatic bile ducts cancer	24	4.5	4.6
8	157	胰臟癌	Pancreas cancer	22	4.1	4.1
9	183	卵巢癌	Ovary and other uterine adnexa cancer	19	3.5	3.2
10	200,202,203	非何杰金淋巴瘤	Non-Hodgkin's lymphoma	19	3.5	3.4

Remark : 1. Mid-year Population : 1,050,145, Male 513,848, Female 536,297 in Taichung City.

2. (1) Death Rate per 100,000 Female Population.

(2) Death Rate per 100,000 Male Population.

3. Based on 2000 W.H.O. World Standard Population.